| Project Title | Funding | Strategic Plan Objective | Institution |
|--|----------|--------------------------|--|
| Abnormal connectivity in autism | \$30,000 | Q2.Other | University of California, Los Angeles |
| Adverse prenatal environment and altered social and anxiety-related behaviors | \$45,000 | Q4.S.B | University of Pennsylvania |
| Assessing sleep regulation, sleep-dependent memory consolidation, and sleep-dependent synaptic plasticity in mouse genetic models of schizophrenia and autism spectrum disorders | \$45,000 | Q2.S.E | University of Pennsylvania |
| Behavioral and neural responses to emotional faces in individuals with ASD | \$14,935 | Q2.Other | Harvard University |
| Brain-behavior interactions and visuospatial expertise in autism: a window into the neural basis of autistic cognition | \$0 | Q2.Other | Hospital Riviere-des-Praires, University of Montreal, Canada |
| Cellular and molecular pathways of cortical afferentation n autism spectrum disorders | \$0 | Q4.S.B | University of Geneva |
| Characterization of synaptic and neural circuitry dysfunction underlying ASD-like behaviors using a novel genetic mouse model | \$0 | Q4.S.B | Duke University |
| Convergence of immune and genetic signaling pathways n autism and schizophrenia | \$0 | Q2.S.A | University of California, Davis |
| Development of a connectomic functional brain imaging endophenotype of autism | \$0 | Q2.Other | University of Cambridge |
| Dissecting expression regulation of an autism GWAS hit | \$30,000 | Q3.L.B | University of California, San Francisco |
| Enhancing neurobehavioural and clinical definitions in autism spectrum disorders | \$28,000 | Q2.Other | Monash University |
| Exploration of resting-state network dynamics in autism spectrum disorders | \$0 | Q4.Other | Harvard University |
| mpact of an autism associated mutation in DACT1 on orain development and behavior | \$45,000 | Q4.S.B | University of California, San Francisco |
| nvestigating brain organization and activation in autism at the whole-brain level | \$0 | Q2.Other | California Institute of Technology |
| earning in autism spectrum disorders | \$28,902 | Q2.Other | University of California, Davis |
| leural correlates of social perception in autism | \$30,000 | Q1.L.C | Yale Child Study Center |
| leural underpinning of emotion perception and its lisorders | \$30,000 | Q2.Other | Dartmouth College |
| Neuropeptide regulation of juvenile social behaviors | \$29,550 | Q2.Other | Boston College |
| Paternal age and epigenetic mechanisms in psychiatric disease | \$45,000 | Q3.S.J | Research Foundation for Mental Hygiene, Inc/NYSP |
| Predicting outcomes in autism with functional onnectivity MRI | \$0 | Q1.L.B | National Institute of Mental Health |
| Probing the temporal dynamics of aberrant neural ommunication and its relation to social processing eficits in autism spectrum disorders | \$0 | Q2.Other | University of Pittsburgh |
| Role of microglial activation in the serotonergic and leuroimmune disturbances underlying autism | \$50,000 | Q2.S.A | Hamamatsu University School of Medicine |

| Project Title | Funding | Strategic Plan Objective | Institution |
|---|----------|--------------------------|---|
| Role of negative regulators of FGF signaling in frontal cortex development and autism | \$45,000 | Q2.Other | University of California, San Francisco |
| Roles of miRNAs in regulation of Foxp2 and in autism | \$45,000 | Q2.Other | Louisiana State University |
| Sequence-based discovery of genes with pleiotropic effects across diagnostic boundaries and throughout the lifespan | \$0 | Q3.L.B | Massachusetts General Hospital and Harvard University |
| Studying Rett and Fragile X syndrome in human ES cells using TALEN technology | \$0 | Q2.S.D | Whitehead Institute for Biomedical Research |
| The neural basis of weak central coherence in autism spectrum disorders | \$13,040 | Q2.Other | Yale University |
| The role of the GRIP protein complex in AMPA receptor trafficking and autism spectrum disorders | \$0 | Q2.Other | Johns Hopkins University |
| The use of non-invasive brain stimulation to improve social relating in autism spectrum disorders | \$0 | Q4.S.F | Monash University |
| Using near-infrared spectroscopy to measure the neural correlates of social and emotional development in infants at risk for autism spectrum disorder | | Q1.L.A | Harvard University |
| Using near-infrared spectroscopy to measure the neural correlates of social and emotional development in infants at risk for autism spectrum disorder | | Q2.Other | University of New South Wales |